QFEH - Quarter Flat Element Hollow TC/K


Properties

The standard range of ceramic infrared elements in stock are used in a wide range of industrial and engineering applications such as thermoforming, packaging, paint curing, printing, drying, gluing, sterilisation, roasting etc. They are also very effectively used in infrared outdoor heaters and saunas.

Most plastics and many other materials absorb infrared best in the wavelength range of $2-10 \ \mu\text{m}$, which makes the ceramic heater the most popular radiant emitter on the market.

Technical specification

Material	Ceramic solid body in white glaze colour with an embedded resistance heating coil	
Heater Voltage	230 V (standard)	
Operating Temperature	Max permissible 750°C	
Useful wave-length range	2 - 10 μm (microns) long wavelength	
Dimensions	60 x 60 x 37.5 mm	
Average weight	131 g	
Electric connection	120 mm ceramic beaded power leads	
Assembly	Recommended radiation distance from heater is 100mm to 200mm. Mounting slot size oval 15x42 mm Steel wave spring and clip set included	
Recommended Spacing	5mm minimum spacing between elements	
Average operating life	Up to 20 000 hrs depending on conditions	
Standards	CE	
Packaging w x h x d	126 x 64 x 64 mm	



INF





Standard assortment

Model	Power	Mean Surface	Max Power
QFEH	W	Temperature °C	Density kW/m²
QFEH 125	125	515	30
QFEH 200	200	710	48

